ETON'S I	PRIORIT	Y ISSUES TRACKER	Prepared by	Eton Action L	ist Group	New Issue		
Produced/Updated: 6 Oct 25		6 Oct 25	30+ days - on to RBWM List	Outstanding 60+ days	Outstanding 90+ days	Completed Completed		
Ref	Date reported	Details Maintenance & Genera		Issue Raised By	Location	Status	Action Taken	Date Resolved
EN21/46M		Repaint height barrier MLCP	24677-102905	EAG	Eton Ct.		Will be done in this finacial year. Was not done. May be done end of financial year. Now informed this is in the 2023-4 capital budget. Will be done Oct 23- Mar 24 Will not now be done due to finacial situation. Suggested this should be maintenance not capital. No money	
EN22/12M		Bed on approach to Windsor Bridge needs planting up after being extended	24677-193932	EAG	Windsor Bridge Approach	Awaiting Planting	Reported as it has a direct effect on the approach to Eton. Will be planted over winter 22/23. Feb.24; July 24 still awaiting planting May 25 still not done	
	04/07/2022	Graffiti on PSPO sign on Meadow Lane opposite SML junction Graffiti on Voadafone boxe near	24677-246413 24677-246415		Meadow Lane Slough Road		RBWM will not clean as not considered offensive. We believe this leads to a deterioration of the streetscape Passed to Vodafone to remove. Failure to remove leads to a deterioration of the streetscape.	
		Pococks Lane on Slough Road Poor condition of paintwork on railings and street lamps in Thames Side	24677-328144	EAG	Thames Side		Re-reporting of 24677-193931 - Mar.23 We have been told it is now added to work programme May 25 - Not done	
EN23/28M	16/04/2023	South Meadow Lane - parking bay nearest Meadow Lane double yellow line - no termination markings	24677-342229	EAG	South Meadow Lane			
EN23/58M	04/12/2023	Graffiti on telecom boxes in High St. and Brocas Street adjacent to The George PH.	24677-429046	EAG	High St & Brocas St.			
	08/01/2024	Balustrade lighting on Windsor Bridge about 40% failed Flooding/blocked drains -Meadow Lane	24677-439176 24677-452201	EAG	Windsor Bridge Meadow Lane		Mar 24 - Being monitored. Flooding in autumn 24	
	20/04/2024	East section of Promenade from Thames Street to River Street is not being cleaned and weeds cleared	24677-479175	EAG	Promenade Windsor		Supposed to be cleaned weekly. This has been regulalry followed up with RBWM but no Action Partly cleaned Mar.24	4/1/2024
EN24/24M	20/04/2024	Weed growth on bed on approach to Windsor Bridge from Windsor side	24677-479178	EAG	Windsor Bridge approach		This has been regulalry followed up with RBWM but no action Not cleaned by contractors. Voluntary Group carried out work.	Feb.24
	20/04/2024	Brocas Street Bus Stopn roof and gutter require cleaning - weed growth in gutter Powerwash Windsor Bridge surface	24677-479180		Brocas Street	DDWM elected	Was scheduled for w/b 29 April by RBWM contractor - not done May 25 - still not done No money	
	14/06/2024	and structure Powerwash High Street and Slough Road	24677-722 24677-500188	EAG	Windsor Bridge High St	RBWM closed	No money	
EN24/35M	06/08/2024	Hedge on boundary of MLCP and Eton Ct. overgrown and covering 'toilet' direction signs and car parking restriction signs plus weeds at base.	TRE 000039	EAG	Eton Court		Only cut Eton Court side w/e 6 Sept	Jan.25
	07/09/2024	Fences in MLCP damaged in 5 places Sign at Keates Lane junction with	37370	***************************************	MLCP		Re-reported 9/6/25 May 25 - Still not done	
EN24/45M EN24/46M	16/09/2024	Slough Road surface failed MLCP -Parking restriction sign knocked over ans surface damaged	FUR000043 44306	***************************************	Slough Road MLCP		Post has been re-installed but parking restriction sign still missing	
	04/10/2024	Parking restriction sign not replaced on bus stop pole near Buidgens Drainage needs cleaning out adjacent	FUR000075 FLO000427	EAG EAG	High Street Brocas Street			
	14/10/2024	Uneven paving outside 32 Eton Sq. Belisha beacons on crossing ouside	PAV000086	EAG	Eton Sq.			Oct.24
	01/11/2024	Bekynton, Eton Wick Rd. need cleaning Light outside 138 High Street not	LIG000156 LIG000223	EAG	Eton Wick Rd. High St.			Dec .24
EN24/52M	01/11/2024	working Double Light near MLCP exit not working Nottles at base of bedge over path in	LIG000224	EAG	Eton Court			Dec.24
EN24/53M EN24/54M	04/11/2024	Nettles at base of hedge over path in Eton Court Traffic signals phasing out of sync.	TRE00495 HTL000078	EAG	Eton Court Keates Lane			Dec.24 Nov.24
	20/11/2024	Fencing flytipped on Windsor Bridge	CLE000991	EAG	Windsor Bridge			Nov.24
	24/11/2024	Traffic signal post knocked at an angle at entrance to Keates Lane Hedge between railway and RWW on footpath requires cutting	HTL000092 TRE000532	EAG	Keates Lane Eton Wick Rd.			Feb.25
EN24/58M	24/11/2024	footpath requires cutting Wild verges between railway and RWW require cutting	TRE000533	***************************************	Eton Wick Road			Apr.25
	28/11/2024	Leaves require clearing from bus stop and residents parking area . Safety issue Leaves on Promenade Windsor require	CLE001045		Brocas St.			Dec.24
	28/11/2024	Leaves on Promenade Windsor require clearing. Safety issue Leaves have not been cleared from Meadow Lane	CLE001046 CLE001047	EAG	Promenade Meadow Lane/South			Dec.24 Feb.24
	11/12/2024	and bloccking drainage and covering yellow lines Eton Court Lights Nos. 6, 8,12 & 12A are	LIG000344	EAG	Meadow Lane Eton Court			Jan.24
EN25/1M	06/01/2025	out with No 7 cut down. Very loose and uneven paving slab outside 112 High St. 2 loose, broken and uneven paving	PAV000199	EAG	High St.			Feb.24
	06/01/2025	2 loose, broken and uneven paving slabs on Bladwin's Bridge east side Eton Court Lights Nos.12 & 12A are out again only days after being repaired.	PAV000200 LIG000417	EAG EAG	Slough Road Eton Court			Mar.25
	09/01/2025	Slough Rd Leaves have not been swept from roadside gutters and paths	CLE001359	***************************************	Slough Rd			Apr.25
EN25/5M	09/01/2025	at all this season Leaves in gutters not swept in Pococks Lane Serious flooding on Slough Rd between	CL001370	EAG	Pococks Lane			Mar.25
EN25/6M	23/01/2025	Serious flooding on Slough Rd between Common Lane and speed stand-outs. Flooding being washed up on to the walls of Gradell listed buildings	FLO000651	EAG	Slough Rd			
EN25/7M	24/01/2025	Serious flooding in rural part Meadow Lane, Eton. On the bend and near the	FLO000652	EAG	Meadow Lane			
EN25/8M		junction with South Meadow Lane Flooding on Eton Wick Road both sides of raod and either side of the	FLO000688	EAG	Eton Wick Road		Passed to Thames water as it is a main problem	
EN25/9M		Pedesrtrian crossing Eton Wick Road needs sweeping. Leaves still in the gutters	CLE0001554	EAG	Eton Wick Road			Mar.25
EN25/10M	08/02/2025	Loose and Uneven paving slabs at Nos. 17, 17a, 22, 28, 101, & 115 High Street	PAV000249	EAG	High St.		No. 115 completed - Feb.24	Mar.25
EN25/11M	08/02/2025	Slough Road. Flooding adjacent to speed platforms both sides of the Keates Lane junction.	FLO 000697	EAG	Slough Road			
EN25/12M	08/02/2025	Slough Road. A number of potholes at the junction of Keates Lane and from Keates Lane to Pococks Lane on both sides of the carriageway.	POT000574	EAG	Slough Road			Mar.25
EN25/13M	09/02/2025	Eton Wick Road. A number of potholes from Bekynton pedestrian crossing to town bounday, west of Royal Windsor	POT000586	EAG	Eton Wick Road, Eton			Mar.25
EN25/14M	10/03/2025	Way on both sides of the carraigeway. Uneven and loose paving outside 81, 118, 121, 122, 130, 137, 29A.	PAV000280	EAG	High St.			Mar.25
	10/03/2025	Loose Bollard outside 25 High St Tangier Lane: numerouse potholes the length of the road	FUR000271 POT000845	EAG	High St. Tangier Lane			Mar.25 Apr.25
EN25/17M	16/03/2025	Bollard Brocas St. by Rsfts Court Graffiti on service box by Rafts Court	FUR000292	EAG	Brocas St.			Mar.25
	16/03/2025	Bollard broken in Jubilee Sq.	GRA00046 FUR000306	***************************************	Brocas St. Eton Court			
EN25/20M	05/04/2025	Paving uneven outside 101,103, 114, 121, 122, Budgens, 130 & 136A High St.	PAV000301	EAG	High Street		Reported as complete bt not done. Some completed south of Eton Court	
	05/04/2025	Paving uneven outside Natural History Museum SML Potholes and surface deterioration on Slough Road at junction to Keate's Lane	PAV000302 POT001026	EAG	South Meadow Lane Slough Rd.			
EN25/23M	07/04/2025	2 fence posts broken MLCP/Meadow Lane	FUR000311	EAG	MLCP		Re- reported 9/6/25	
	07/04/2025	Nettles at base of hedge over path in Eton Court Nettles over pavement resident parking in Meadow Lane	TRE000748 TRE000749	EAG	Eton cCt. Meadow Lane			
	07/04/2025	Disabled and Loading bay marking erased outside 86/87 High St Reduce hedge height on Eton	ROA000141 TRE000819	EAG	High St. Eton Court		Disabled bay completed remainder remain Hedge cut Eton Court side only and not reduced	
	06/05/2025	Court/MLCP boundary Bed on approach to Windsor Bridge needs weeding Shrub border between steps and river	TRE000820	EAG	Thames St.			
EN25/29M	06/05/2025	in Thames Side requires weeding and concerns over overhanging Pyracantha	TRE000821	EAG	Thames Side			
EN25/30M	28/05/2025	Sign on island in Slough Road opposite Common Lane knocked over Loose pavings outside 17A; 41; 43, and	FUR000364	EAG	Slough Rd			
EN25/31M	09/06/2025	3no. 104/5 High St. Issues in EN25/20M not completed as reported back. Meadow lane Car Park Fencing: 4 posts	FUR000372	EAG	High St.			
	09/06/2025	rotted and loose and 8 rails broken or down. Bridge steps and Promenade: weed	FUR000391 TRE001053	EAG EAG	Eton Court Windsor			
	09/06/2025	growth Windsor Bridge: Trees, shrubs and weeds growing from stonework MLCP - Litter Bins not beeing emptied	TRE001053 TRE001054	EAG	Promenade Windsor Bridge			
	03/07/2025	regulalry enough and are often overflowing Fly-tipping Meadow Lane opp. Junc.	175227 CLE002850		MLCP Meadow Lane			Jul-25
EN25/37M	04/08/2025	With South Meadow Lane Paving broken Brocas St junction to Windsor Bridge Court Uneven and broken paving outside 122	PAV000457	EAG	Brocas St.			Aug-25
EN25/39M EN25/40M	04/08/2025 04/08/2025 10/09/2025	High St. Uneven paving outsiide 137 High St. Loose paving outside 87 High Street	PAV000458 PAV000459 PAV000496	EAG EAG	High St. High St. High St.		No safety issue - RBWM	Aug-25 Sep-25
EN25/41M	11/09/2025 13/09/2025	Damage to railings 6-7 Sunbury Road Flooding Slough Rd Baldwins Bridge and prior to lights northbound	FUR000505 FLO000929	EAG	Sunbury Rd Slough Rd.			
	22/09/2025	Flooding outside Bekynton, Eton Wick Rd Uneven paving and sunken stopcock 81 High St	FLO000930 PAV000510	EAG EAG	Eton Wick Rd High St.			
EN25/45M	23/09/2025	Subsidence on Cadent gas repairs Meadow Lane adjacent to Brocas Terrace	PAV000513	EAG	Meadow Lane			
	06/10/2025	WBroken York stone within service cover outside Crown & Cushion Weeds in passageway between 92-93 High St. (FP45)	PAV000524 CLE003709	EAG	High St. High St			
EN25/48M	06/10/2025	High St. (FP45) Weeds on Promenade and steps Report on state of Meadow Lane CP	TRE0001790 218880	EAG EAG	Windsor Bridge			
ENICE	01/09/05	Projects Free Wi Fi in Eton		Neighbourh'd	High C+	Record	Proposal to put free wi-Fi along Eton High Street	
EN18/2P	01/08/2018	Elexctric Car Charging Points		Plan Project Neighbourh'd Plan Project	High St. Meadow Lane Car Park Meadow Lane Car	Researching Progressing	Proposal to electric car charging points in spaces adjacent to lamp posts	
EN18/4P	01/05/2019	Make new pedestrian access between MLCP and Eton Court		EAG	Meadow Lane Car Pak	Progressing	To make a new pedestrian access between both old and new sections of Meadow Lane car park and Eton Court. Plans received and agreed. Awaitining finance Meeting held with ETC, Residents Groups, Ward Cllrs and Lead Member for Infrastructure 4/11/19. Actions: RBWM to produce options paper for emergency roadworks, planned roadworks and normal	
EN19/2P	18/10/2019	Review South Meadow Lane/ Meadow Lane. Narrowness/ large vehicles/ high kerbs		Various	Eton	Unresolved	operation. Awaiting follow up meeting. No date has been arranged yet. Proposals are being worked on to width limit vehicles entering both lanes. Only Action taken was to put up "Not Suitable for HGVs" signs at either end.	June.22
FN44M	10/01/2020	Electrical upgrade Eton High Street			High St.		An electrical survey carried out in 2019 found that much of the High St. street and sign lighting circuits are non-compliant and require upgrading. Will be carried out over 2 years 2021/22 & 2022/23. Lamp	
L CN44M		High St properties communication cabling upgrade Light standards in Somerville Road	Inco		High St.		Along much of the High St. communicatio cables are draped along the fronts of building looking very untidy. Work is required to rationlaise and remove cabling whereever possible. Originally reported as maintenance (EN20/15M) but transferred to project as replacement required.	Apr.24
EN20/1P	24/05	_	HIG018762	***************************************	Somerville Road Broken Furlong			
EN20/1P EN20/2P	31/03/2020	require painting/replacement Light standards in Broken Furlong require painting/replacement	HIG018763	EAG	Droken runong	Page 1	Originally reported as maintenance (EN20/16M) but transferred to project as replacement required.	