

| ETON'S PRIORITY ISSUES TRACKER | | | Prepared by Eton Action List Group | | | New Issue Reported | | |
|--------------------------------|-----------------------------------|---|------------------------------------|----------------------------|-------------------------------|--------------------|--|---------------|
| Produced/Updated: 3 July 25 | | | 30+ days - on to RBWM List | Outstanding 60+ days | Outstanding 90+ days | Completed | | |
| Ref | Date reported | Details | Reference No. | Issue Raised By | Location | Status | Action Taken | Date Resolved |
| | RBWM Maintenance & General Issues | | | | | | | |
| EN21/46M | 07/06/2021 | Repaint height barrier MLCP | 24677-102905 | EAG | Eton Ct. | | Will be done in this finacial year. Was not done. May be done end of financial year . Now informed this is in the 2023-4 capital budget. Will be done Oct 23- Mar 24 Will not now be done due to finacial situation. Suggested this should be maintenance not capital. No money | |
| EN22/12M | 05/02/2022 | Bed on approach to Windsor Bridge needs planting up after being extended | 24677-193932 | EAG | Windsor Bridge Approach | Awaiting Planting | Reported as it has a direct effect on the approach to Eton. Will be planted over winter 22/23. Feb.24; July 24 still awaiting planting May 25 still not done | |
| EN22/49M | 04/07/2022 | Graffiti on PSPO sign on Meadow Lane opposite SML junction | 24677-246413 | EAG | Meadow Lane | | RBWM will not clean as not considered offensive. We believe this leads to a deterioration of the streetscape | |
| EN22/50M | 04/07/2022 | Graffiti on Voodafone boxe near Pococks Lane on Slough Road | 24677-246415 | EAG | Slough Road | | Passed to Vodafone to remove. Failure to remove leads to a deterioration of the streetscape. | |
| EN23/12M | 07/03/2023 | Poor condition of paintwork on railings and street lamps in Thames Side | 24677-328144 | EAG | Thames Side | | Re-reporting of 24677-193931 - Mar.23 We have been told it is now added to work programme May 25 - Not done | |
| EN23/28M | 16/04/2023 | South Meadow Lane - parking bay nearest Meadow Lane double yellow line - no termination markings | 24677-342229 | EAG | South Meadow Lane | | | |
| EN23/58M | 04/12/2023 | Graffiti on telecom boxes in High St. and Brocas Street adjacent to The George PH. | 24677-429046 | EAG | High St & Brocas St. | | | |
| EN24/02M | 08/01/2024 | Balustrade lighting on Windsor Bridge about 40% failed | 24677-439176 | EAG | Windsor Bridge | | | |
| EN24/15M | 09/02/2024 | Flooding/blocked drains -Meadow Lane | 24677-452201 | EAG | Meadow Lane | | Mar 24 - Being monitored. Flooding in autumn 24 | |
| EN24/23M | 20/04/2024 | East section of Promenade from Thames Street to River Street is not being cleaned and weeds cleared | 24677-479175 | EAG | Promenade Windsor | | Supposed to be cleaned weekly. This has been regularly followed up with RBWM but no Action Partly cleaned Mar.24 | 4/1/2024 |
| EN24/24M | 20/04/2024 | Weed growth on bed on approach to Windsor Bridge from Windsor side | 24677-479178 | EAG | Windsor Bridge approach | | This has been regularly followed up with RBWM but no action Not cleaned by contractors. Voluntary Group carried out work. | Feb.24 |
| EN24/25M | 20/04/2024 | Brocas Street Bus Stopn roof and gutter require cleaning - weed growth in gutter | 24677-479180 | EAG | Brocas Street | | Was scheduled for w/b 29 April by RBWM contractor - not done May 25 - still not done | |
| EN24/31M | 06/05/2024 | Powerwash Windsor Bridge surface and structure | 24677-722 | EAG | Windsor Bridge | RBWM closed | No money | |
| EN24/32M | 14/06/2024 | Powerwash High Street and Slough Road | 24677-500188 | ETC | High St | RBWM closed | No money | |
| EN24/35M | 06/08/2024 | Hedge on boundary of MLCP and Eton Ct. overgrown and covering 'toilet' direction signs and car parking restriction signs plus weeds at base. | TRE 000039 | EAG | Eton Court | | Only cut Eton Court side w/e 6 Sept | Jan.25 |
| EN24/43M | 07/09/2024 | Fences in MLCP damaged in 5 places | 37370 | EAG | MLCP | | Re-reported 9/6/25 | |
| EN24/45M | 09/09/2024 | Sign at Keates Lane junction with Slough Road surface failed | FUR000043 | EAG | Slough Road | | May 25 - Still not done | |
| EN24/46M | 16/09/2024 | MLCP -Parking restriction sign knocked over ans surface damaged | 44306 | EAG | MLCP | | Post has been re-installed but parking restriction sign still missing | |
| EN24/47M | 04/10/2024 | Parking restriction sign not replaced on bus stop pole near Buidgens | FUR000075 | EAG | High Street | | | |
| EN24/48M | 10/10/2024 | Drainage needs cleaning out adjacent to Waterman's Arms | FLO000427 | EAG | Brocas Street | | | |
| EN24/49M | 14/10/2024 | Uneven paving outside 32 Eton Sq. | PAV000086 | EAG | Eton Sq. | | | Oct.24 |
| EN24/50M | 14/11/2024 | Belisha beacons on crossing outside Bekynton, Eton Wick Rd. need cleaning | LIG000156 | EAG | Eton Wick Rd. | | | Dec. 24 |
| EN24/51M | 01/11/2024 | Light outside 138 High Street not working | LIG000223 | EAG | High St. | | | Dec.24 |
| EN24/52M | 01/11/2024 | Double Light near MLCP exit not working | LIG000224 | EAG | Eton Court | | | Dec.24 |
| EN24/53M | 04/11/2024 | Nettles at base of hedge over path in Eton Court | TRE00495 | EAG | Eton Court | | | Dec.24 |
| EN24/54M | 13/11/2024 | Traffic signals phasing out of sync. | HTL000078 | EAG | Keates Lane | | | Nov.24 |
| EN24/55M | 20/11/2024 | Fencing flytipped on Windsor Bridge | CLE000991 | EAG | Windsor Bridge | | | Nov.24 |
| EN24/56M | 24/11/2024 | Traffic signal post knocked at an angle at entrance to Keates Lane | HTL000092 | EAG | Keates Lane | | | Feb.25 |
| EN24/57M | 24/11/2024 | Hedge between railway and RWW on footpath requires cutting | TRE000532 | EAG | Eton Wick Rd. | | | |
| EN24/58M | 24/11/2024 | Wild verges between railway and RWW require cutting | TRE000533 | EAG | Eton Wick Road | | | Apr.25 |
| EN24/59M | 28/11/2024 | Leaves require clearing from bus stop and residents parking area . Safety issue | CLE001045 | EAG | Brocas St. | | | Dec.24 |
| EN24/60M | 28/11/2024 | Leaves on Promenade Windsor require clearing. Safety issue | CLE001046 | EAG | Promenade | | | Dec.24 |
| EN24/61M | 28/11/2024 | Leaves have not been cleared from Meadow Lane and South Meadow Lane and blocking drainage and covering yellow lines | CLE001047 | EAG | Meadow Lane/South Meadow Lane | | | Feb.24 |
| EN24/62M | 11/12/2024 | Eton Court Lights Nos. 6, 8,12 & 12A are out with No.. 7 cut down. | LIG000344 | EAG | Eton Court | | | Jan.24 |
| EN25/1M | 06/01/2025 | Very loose and uneven paving slab outside 112 High St. | PAV000199 | EAG | High St. | | | Feb.24 |
| EN25/2M | 06/01/2025 | 2 loose, broken and uneven paving slabs on Bladwin's Bridge east side | PAV000200 | EAG | Slough Road | | | |
| EN25/3M | 06/01/2025 | Eton Court Lights Nos.12 & 12A are out again only days after being repaired. | LIG000417 | EAG | Eton Court | | | Mar.25 |
| EN25/4M | 09/01/2025 | Slough Rd.. Leaves have not been swept from roadside gutters and paths at all this season | CLE001359 | EAG | Slough Rd | | | Apr.25 |
| EN25/5M | 09/01/2025 | Leaves in gutters not swept in Pococks Lane | CL001370 | EAG | Pococks Lane | | | Mar.25 |
| EN25/6M | 23/01/2025 | Serious flooding on Slough Rd between Common Lane and speed stand-outs. Flooding being washed up on to the walls of Gradell listed buildings | FLO000651 | EAG | Slough Rd | | | |
| EN25/7M | 24/01/2025 | Serious flooding in rural part Meadow Lane, Eton. On the bend and near the junction with South Meadow Lane | FLO000652 | EAG | Meadow Lane | | | |
| EN25/8M | 03/02/2025 | Flooding on Eton Wick Road both sides of raod and either side of the Pedesrtrian crossing | FLO000688 | EAG | Eton Wick Road | | Passed to Thames water as it is a main problem | |
| EN25/9M | 03/02/2025 | Eton Wick Road needs sweeping. Leaves still in the gutters | CLE0001554 | EAG | Eton Wick Road | | | Mar.25 |
| EN25/10M | 08/02/2025 | Loose and Uneven paving slabs at Nos. 17, 17a, 22, 28, 101, & 115 High Street | PAV000249 | EAG | High St. | | No. 115 completed - Feb.24 | Mar.25 |
| EN25/11M | 08/02/2025 | Slough Road. Flooding adjacent to speed platforms both sides of the Keates Lane junction. | FLO 000697 | EAG | Slough Road | | | |
| EN25/12M | 08/02/2025 | Slough Road. A number of potholes at the junction of Keates Lane and from Keates Lane to Pococks Lane on both sides of the carriageway. | POT000574 | EAG | Slough Road | | | Mar.25 |
| EN25/13M | 09/02/2025 | Eton Wick Road. A number of potholes from Bekynton pedestrian crossing to town bounday, west of Royal Windsor Way on both sides of the carraigeway. | POT000586 | EAG | Eton Wick Road, Eton | | | Mar.25 |
| EN25/14M | 10/03/2025 | Uneven and loose paving outside 81, 118, 121, 122, 130, 137, 29A. | PAV000280 | EAG | High St. | | | Mar.25 |
| EN25/15M | 10/03/2025 | Loose Bollard outside 25 High St | FUR000271 | EAG | High St. | | | Mar.25 |
| EN25/16M | 10/03/2025 | Tangier Lane: numerous potholes the length of the road | POT000845 | EAG | Tangier Lane | | | Apr.25 |
| EN25/17M | 16/03/2025 | Bollard Brocas St. by Rsfts Court | FUR000292 | EAG | Brocas St. | | | Mar.25 |
| EN25/18M | 16/03/2025 | Graffiti on service box by Rafts Court | GRA000046 | EAG | Brocas St. | | | |
| EN25/19M | 05/04/2025 | Bollard broken in Jubilee Sq. | FUR000306 | EAG | Eton Court | | | |
| EN25/20M | 05/04/2025 | Paving uneven outside 101,103, 114, 121, 122, Budgens, 130 & 136A High St. | PAV000301 | EAG | High Street | | Reported as complete bt not done. Some completed south of Eton Court | |
| EN25/21M | 05/04/2025 | Paving uneven outside Natural History Museum SML | PAV000302 | EAG | South Meadow Lane | | | |
| EN25/22M | 05/04/2025 | Potholes and surface deterioration on Slough Road at junction to Keate's Lane | POT001026 | EAG | Slough Rd. | | | |
| EN25/23M | 07/04/2025 | 2 fence posts broken MLCP/Meadow Lane | FUR000311 | EAG | MLCP | | Re- reported 9/6/25 | |
| EN25/24M | 07/04/2025 | Nettles at base of hedge over path in Eton Court | TRE000748 | EAG | Eton cCt. | | | |
| EN25/25M | 07/04/2025 | Nettles over pavement resident parking in Meadow Lane | TRE000749 | EAG | Meadow Lane | | | |
| EN25/26M | 07/04/2025 | Disabled and Loading bay marking erased outside 86/87 High St | ROA000141 | EAG | High St. | | Disabled bay completed remainder remain | |
| EN25/27M | 06/05/2025 | Reduce hedge height on Eton Court/MLCP boundary | TRE000819 | EAG | Eton Court | | Hedge cut Eton Court side only and not reduced | |
| EN25/28M | 06/05/2025 | Bed on approach to Windsor Bridge needs weeding | TRE000820 | EAG | Thames St. | | | |
| EN25/29M | 06/05/2025 | Shrub border between steps and river in Thames Side requires weeding and concerns over overhanging Pyracantha | TRE000821 | EAG | Thames Side | | | |
| EN25/30M | 28/05/2025 | Sign on island in Slough Road opposite Common Lane knocked over | FUR000364 | EAG | Slough Rd | | | |
| EN25/31M | 09/06/2025 | Loose pavings outside 17A; 41; 43, and 3no. 104/5 High St. Issues in EN25/20M not completed as reported back. | FUR000372 | EAG | High St. | | | |
| EN25/32M | 09/06/2025 | Meadow lane Car Park Fencing: 4 posts rotted and loose and 8 rails broken or down. | FUR000391 | EAG | Eton Court | | | |
| EN25/33M | 09/06/2025 | Bridge steps and Promenade: weed growth | TRE001053 | EAG | Windsor Promenade | | | |
| EN25/34M | 09/06/2025 | Windsor Bridge: Trees, shrubs and weeds growing from stonework | TRE001054 | EAG | Windsor Bridge | | | |
| EN25/35M | 03/07/2025 | MLCP - Litter Bins not beeing emptied regularly enough and are often overflowing | 175227 | EAG | MLCP | | | |
| EN25/36M | 03/07/2025 | Fly-tipping Meadow Lane opp. Junc. With South Meadow Lane | CLE002850 | EAG | Meadow Lane | | | |
| | | | | | | | | |
| | | Projects | | | | | | |
| EN65P | 01/08/2018 | Free Wi Fi in Eton | | Neighbour'h'd Plan Project | High St. | Researching | Proposal to put free wi-Fi along Eton High Street | |
| EN18/2P | 01/08/2018 | Elexttric Car Charging Points | | Neighbour'h'd Plan Project | Meadow Lane Car Park | Progressing | Proposal to electric car charging points in spaces adjacent to lamp posts | |
| EN18/4P | 01/05/2019 | Make new pedestrian access between MLCP and Eton Court | | EAG | Meadow Lane Car Pak | Progressing | To make a new pedestrian access between both old and new sections of Meadow Lane car park and Eton Court. Plans received and agreed. Awaiting finance | |
| EN19/2P | 18/10/2019 | Review South Meadow Lane/ Meadow Lane. Narrowness/ large vehicles/ high kerbs | | Various | Eton | Unresolved | Meeting held with ETC, Residents Groups, Ward Cllrs and Lead Member for Infrastructure 4/11/19. Actions: RBWM to produce options paper for emergency roadworks,planned roadworks and normal operation. Awaiting follow up meeting. No date has been arranged yet. Proposals are being worked on to width limit vehicles entering both lanes. Only Action taken was to put up "Not Suitable for HGVs" signs at either end. | June.22 |
| EN19/7P Preeviyous EN44M | 10/01/2020 | Electrical upgrade Eton High Street | | | High St. | | An electrical survey carried out in 2019 found that much of the High St. street and sign lighting circuits are non-compliant and require upgrading. Will be carried out over 2 years 2021/22 & 2022/23. Lamp satandards in place. Feb.22 | Apr.24 |
| EN20/1P | 10/01/2020 | High St properties communication cabling upgrade | | | High St. | | Along much of the High St. communicatio cables are draped along the fronts of building looking very untidy. Work is required to rationalise and remove cabling wherever possible. | |
| EN20/2P | 31/03/2020 | Light standards in Somerville Road require painting/replacement | HIG018762 | EAG | Somerville Road | | Originally reported as maintenance (EN20/15M) but transferred to project as replacement required. | |
| EN20/3P | 31/03/2020 | Light standards in Broken Furlong require painting/replacement | HIG018763 | EAG | Broken Furlong | | Originally reported as maintenance (EN20/16M) but transferred to project as replacement required. | |
| | | | | | | Page 1 | | |